Please check the examination deta	ils below before enter	ring your candidate information
Candidate surname		Other names Britishs
Pearson Edexcel International Advanced Level	Centre Number	Candidate Number
<b>Time</b> 1 hour 45 minutes	Paper reference	W/RI1///1
Biology International Advance Unit 4: Energy, Environ		biology
and Immunity		

## **Instructions**

- Use **black** ink or **black** ball-point pen.
- **Fill in the boxes** at the top of this page with your name, centre number and candidate number.
- Answer all questions.
- Answer the questions in the spaces provided
  - there may be more space than you need.
- Show all your working in calculations and include units where appropriate.


## Information

- The total mark for this paper is 90.
- The marks for **each** question are shown in brackets
  - use this as a guide as to how much time to spend on each question.
- In questions marked with an asterisk (\*), marks will be awarded for your ability to structure your answer logically, showing how the points that you make are related or follow on from each other where appropriate.

#### **Advice**

- Read each question carefully before you start to answer it.
- Try to answer every question.
- Check your answers if you have time at the end.
- Good luck with your examination.

Turn over ▶







Answer ALL questions.

Write your answers in the spaces provided.


Some questions must be answered with a cross in a box ⋈. If you change your mind about an ne questions must be answered with a cross in a box 🗵. If you change your mind a gross 🗷 answer, put a line through the box 🔀 and then mark your new answer with a cross 🔀 conshie them to survive in their

- Mosses are species of plants that have genomes that enable them to survive in their habitats.
  - (a) A group of students investigated the mean number of plant species in four habitats.

The habitats that they investigated were:

- fields that were cut regularly
- fields that were not cut
- the middle of woods
- the edge of woods.

The graph shows some of the results from this investigation.





(i) Wh in t	nich rov	w of the table shows the type of these habitats?	factor that affected the plant species  Competition with trees for water  abiotic factor	1)
		Cutting the field regularly	Competition with trees for water	l. Wordy
X	Α	abiotic factor	abiotic factor	css com
$\times$	В	abiotic factor	biotic factor	•
X	C	biotic factor	abiotic factor	
$\times$	D	biotic factor	biotic factor	

(ii) What is the percentage increase in the number of species of moss between the fields cut regularly and the fields not cut?

(1)

- 23.3
- 70.0
- 233.3
- **D** 333.3

(iii)	Suggest reasons f	or the	differences	in the mean	number	of plant	species	ir
	fields cut regularly	y and i	n fields not	cut.				

(2)


					Ш
					Ш
6					'''


(b) In another investigation, the genome size of 30 species of moss was determined.

Each species of moss belonged to one of two classes of moss.

The frequency of each genome size in the class 1 mosses and class 2 mosses

Class 2 mosses





(i) Which does **P** represent?

(1)

- the maximum genome size on a bar chart
- X the maximum genome size on a histogram
- X mode genome size on a bar chart
- X **D** mode genome size on a histogram
- (ii) One genome size is missing from the graph for class 2 mosses.

Calculate the frequency of this genome size.

(1)

Answer



(iii) The mean value for the genome size of class 1 mosses was 0.449 a mean value for class 2 mosses was 0.920 a.u.	a.u. aftd.the
mean value for class 2 mosses was 0.920 a.u.  Calculate the ratio of the genome size of class 1 mosses to the ger class 2 mosses.	nome size of o <sub>nn, Morther</sub>


(iv) It was suggested that the chromosomes in class 2 mosses were found in pairs.

Give the evidence that supports this suggestion.

(1)

(Total for Question 1 = 8 marks)

	$a_{t_{L}}$
2	Chloroplasts and mitochondria are two organelles found in some plant cells.
	Chloroplasts and mitochondria are two organelles found in some plant cells. Original Research (a) Compare and contrast the structure of a chloroplast with the structure of a mitochondrion.
•••••	On One



(ii) Name one molecule that is produced in non-cyclic photophosphorylation that is **not** produced in cyclic photophosphorylation.


(1)

	h <sub>th</sub> .
(iii) Describe the role of photolysis in non-cyclic ph	notophosphorylation. (2)
	**************************************
	*Oddytes
	"COM
	(Total for Question 2 = 9 marks)

http://britishshdentroom.wordpress.com/

Lions, giraffes and acacia trees are found on the African Plains.

The diagram shows the energy in the trophic levels that these organisms occupy.



- (a) Give the meaning of each of the following terms, using the information in the diagram to illustrate your answer.
  - (i) Habitat



(iii) Community	h <sub>th</sub> . Aniishshade	(2)
	νς	Atroom Wor
		· Ø <sub>re</sub>
(iv) Niche		(2)
o) Calculate the efficiency of energy transfer betwee	en trophic level one and trophic	
level two.		(1)
	Answer	
	(Total for Question 3 = 9 m	arks)



(4)

Madagascar is a large island off the southeast coast of mainland Africa.

Lemurs are endemic to Madagascar.

hup://britishs/tudenfroom.worthress.com/ (a) There are many different species of lemur, all of which evolved from one common ancestor. This common ancestor is thought to be a primate that was carried across the sea from mainland Africa on a raft of vegetation.

The photographs show two different species of lemur, Sifaka and Indri, found in the same region of Madagascar.



Sifaka



Indri

The diet of Sifakas is mostly seeds but also includes fruits, flowers and some types of leaves. The diet of Indri is mainly leaves.

Explain the types of speciation that have taken place in the evolution of Sifakas and Indri in this region of Madagascar.


o) L	Lemurs have been found on another island close to Madagascar.	
	Scientists have used DNA profiling to show that these lemurs originated from those on Madagascar.	troom
(	Lemurs have been found on another island close to Madagascar.  Scientists have used DNA profiling to show that these lemurs originated from those on Madagascar.  i) Explain the role of the polymerase chain reaction (PCR) in DNA profiling.	(2)
(	ii) Explain how DNA profiling could show that these lemurs originated from the lemurs on Madagascar.	(2)
	(Total for Question 4 = 8 ma	arks)



- The time of death of a person can be estimated in a number of ways.
- time of death of a person can be estimated in a number of ways.

  The time of death can be estimated using the length of insect larvae.


  What is the name of the method that uses insect larvae to estimate the time of death?

  (1) OTHERS, COMP. (a) The time of death can be estimated using the length of insect larvae.



- X epigenetics
- X forensic entomology
- X species diversity
- (b) The larvae of one species of blowfly can be used to estimate the time of death.

The graph shows the mean length of larvae from this species incubated at 10.62 °C.



(i) Calculate the mean growth rate of these larvae from 25 to 120 hours. Include the units with your answer.

(2)

Answer


Use the information	n in the graph to support your a	nswer	W.
ose the informatio	ir iii tile grapii to sapport your a	iiswci.	Chtron(3)
	uitability of using this data to es		777. 4 <sub>0</sub>
			36
(iii) Describe how the	data shown in this graph could h	nave been collected.	
(iii) Describe how the	data shown in this graph could h	nave been collected.	(3)
(iii) Describe how the	data shown in this graph could h	nave been collected.	(3)
(iii) Describe how the	data shown in this graph could h	nave been collected.	(3)
(iii) Describe how the	data shown in this graph could h	nave been collected.	(3)
(iii) Describe how the	data shown in this graph could h	nave been collected.	(3)
(iii) Describe how the	data shown in this graph could h	nave been collected.	(3)
(iii) Describe how the	data shown in this graph could h	nave been collected.	(3)
(iii) Describe how the	data shown in this graph could h	nave been collected.	(3)
(iii) Describe how the	data shown in this graph could h	nave been collected.	(3)
	data shown in this graph could h		



	Alb.
(c) The time of death can be estimated usi	ing the body temperature of the corpse.  ure of a corpse to estimate the time of death.  hotology, hotolog
5 1	
Evaluate the use of the body temperati	ure of a corpse to estimate the time of death.
	(0,4)
	· hora
	ે. જ
	(Total for Question 5 = 13 marks)

http://britishshdentroom.wordpress.com/

The diagram shows part of the carbon cycle.



## Key

The numbers in smooth brackets ( ) show the mass of carbon in petagrams found in either the atmosphere, plants or surface ocean.

The numbers in square brackets [ ] show the mass of carbon in petagrams transferred between the atmosphere and the plants or surface ocean per year.

A petagram is equal to 10<sup>15</sup> grams.

(a) Carbon is found in carbohydrates.

The table shows some carbohydrates that may be found in plants and animals.

For each carbohydrate, put **one** cross \( \sigma \) in the appropriate box, in each row, to show where these carbohydrates are produced.


(4)

		Carbohydrate	produced by	,
Carbohydrate	both plants and animals	plants but <b>not</b> animals	animals but <b>not</b> plants	neither plants nor animals
Amylose	$\boxtimes$	$\boxtimes$	$\boxtimes$	$\boxtimes$
Glucose	$\boxtimes$	$\boxtimes$	$\boxtimes$	$\boxtimes$
Glycogen	$\boxtimes$	$\boxtimes$	$\boxtimes$	$\boxtimes$
Starch	×	$\boxtimes$	$\boxtimes$	×



(c) An	thropogenic clir	mate change is	a result of an	increase in the	mass of car	Bon in	
the	e atmosphere.					Astude .	
(i)	othropogenic clir e atmosphere. State what is m	neant by the te	rm <b>anthropo</b> g	genic climate o	change.	Chiroo,	n. Nordpre
(ii)	Explain <b>one</b> wareduced.	ay in which the	effects of ant	nropogenic clir	mate change		2)
(ii)		ay in which the	effects of anti	nropogenic clir	mate change		2)
(ii)		ay in which the	effects of ant	nropogenic clir	mate change		2)
(ii)		ay in which the	effects of antl	nropogenic clir	mate change		2)
(ii)		ay in which the	effects of anti		nate change		

http://britishshdentroom.wordpress.com/



distance from sea


Information	Fore dune	Embryo dune	Yellow dune	Grey dune
Soil depth / cm	<0.5	0.5	1.0	8.0
Percentage of organic matter (%)	<1.0	1.0	2.5	5.0
рН	8.5	8.0	7.0	6.5
Percentage of bare ground (%)	>97	97	70	10
Number of different plant species	2	3	6	15
Typical plant species	sea rocket saltwort	sea couch grass lyme grass marram grass	marram grass red fescue grass sea holly	range of different meadow plants

hyb.	
(a) (i) The pH of a solution is a measure of the concentration of hydrogen ions in that solution.	<u> </u>
It is a log scale e.g. a solution of pH 5 contains 10 <sup>-5</sup> mol dm <sup>-3</sup> of hydrogen ion	**************************************
(a) (i) The pH of a solution is a measure of the concentration of hydrogen ions in that solution.  It is a log scale e.g. a solution of pH 5 contains 10 <sup>-5</sup> mol dm <sup>-3</sup> of hydrogen ions.  What is the difference in concentration of hydrogen ions in a fore dune compared with a grey dune?	(1)
A a fore dune has 2 times more hydrogen ions than the grey dune	
<b>B</b> a fore dune has 2 times fewer hydrogen ions than the grey dune	
C a fore dune has 100 times more hydrogen ions than the grey dune	
D a fore dune has 100 times fewer hydrogen ions than the grey dune	
(ii) Calculate the percentage increase in the number of plant species on the grey dune compared with the fore dune.	(1)
Answer	0,

http://britishstudentroom.worthress.com/

*(iii) Explain the changes in these sand dunes with distance from the	Sea. Oriishshulentro(6)
Use the information in the table to support your answer.	··· ··· ··· ··· ··· ··· ··· ··· ···
	11/00(6)
	**************************************
	······································





Key

- Above the ground
  - Below the ground


(3)


(i) Describe the conclusions that can be drawn from this graph.

(ii)	Explain how the products of the light-independent below the ground.	dent reactions become RPP  dent reactions become RPP  (4)
		A OF TANKES S. COM.
		(Total for Question 7 = 15 marks)

		h <sub>tb</sub> .	
8	Patien	ts with cystic fibrosis may develop serious bacterial infections.	
	A patie	ېږې ent with cystic fibrosis developed bacterial infections including <i>Mycobacterium</i> a.	
	(a) (i)	ts with cystic fibrosis may develop serious bacterial infections.  ent with cystic fibrosis developed bacterial infections including <i>Mycobacterium</i> ,  This patient was given a combination of antibiotics for several months.  Explain why a combination of antibiotics had to be given for several months.	TOOM, W.
		Explain why a combination of antibiotics had to be given for several months.	Orthonics.
			(2) ·com
	(ii)	This patient did not respond to the combination of antibiotics, and later needed a lung transplant.	
		Suggest why this patient needed a lung transplant.	
			(3)
•••••			
•••••	•••••		

	hy.	
(iii) F	ollowing the transplant, the patient was given immunosuppressive drugs.	
lr w	ollowing the transplant, the patient was given immunosuppressive drugs.  mmunosuppressive drugs weaken the immune system. Some of these drugs, work by preventing DNA synthesis in the patient.  As a result of the immunosuppressive drug treatment, the infection with Mycobacterium developed faster.	foon.
A N	as a result of the immunosuppressive drug treatment, the infection with Mycobacterium developed faster.	· words
_	xplain why the infection with <i>Mycobacterium</i> developed faster when the patient was taking immunosuppressive drugs.	<b>3</b> 70/
		(4)





Number of phages

Explain the changes in the number of bacteria and p the phage therapy.  Use the information in the graph to support your ans	hages following the start of
Use the information in the graph to support your ans	swer.
(1	Total for Question 8 = 15 marks)
	TOTAL FOR PAPER = 90 MARKS



http://britishstudentroom.worthress.com/