Please check the examination deta	ails below	before entering	your candidate information
Candidate surname		Ot	her names
Pearson Edexcel International Advanced Level	Centre	e Number	Candidate Number
Thursday 08	Oct	tober	2020
Afternoon (Time: 1 hour 30 minu	ıtes)	Paper Refer	rence WMA13/01
Mathematics International Advance Pure Mathematics P3	d Lev	rel	
You must have: Mathematical Formulae and Sta	tistical [¬]	Гables (Lilac),	Calculator Total Marks

Candidates may use any calculator permitted by Pearson regulations. Calculators must not have the facility for symbolic algebra manipulation, differentiation and integration, or have retrievable mathematical formulae stored in them.

Instructions

- Use black ink or ball-point pen.
- If pencil is used for diagrams/sketches/graphs it must be dark (HB or B).
- **Fill in the boxes** at the top of this page with your name, centre number and candidate number.
- Answer all questions and ensure that your answers to parts of questions are clearly labelled.
- Answer the questions in the spaces provided
 there may be more space than you need.
- You should show sufficient working to make your methods clear. Answers without working may not gain full credit.
- Inexact answers should be given to three significant figures unless otherwise stated.

Information

- A booklet 'Mathematical Formulae and Statistical Tables' is provided.
- There are 9 questions in this question paper. The total mark for this paper is 75.
- The marks for **each** question are shown in brackets
- use this as a guide as to how much time to spend on each question.

Advice

- Read each question carefully before you start to answer it.
- Try to answer every question.
- Check your answers if you have time at the end.
- If you change your mind about an answer, cross it out and put your new answer and any working underneath.

 Turn over







1.	Solve, for	$0 \le x < 360^{\circ},$	the equation

 $2\cos 2x = 7\cos x$

www.igexams.com

giving your solutions to one decimal place.

(Solutions bas	sed entirely on grap	phical or nume	rical methods are	not acceptable.)

•		
WWW.1	gexams	.com
** ** ** **		·COII

Question 1 continued	Leave blank
	Q1
(Total 5 marks)	



A scientist monitored the growth of bacteria on a dish over a 30-day period.

The area, $N \text{mm}^2$, of the dish covered by bacteria, t days after monitoring began, is modelled by the equation

www.igexams.com

$$\log_{10} N = 0.0646 t + 1.478 \qquad 0 \leqslant t \leqslant 30$$

$$0 \leqslant t \leqslant 30$$

(a) Show that this equation may be written in the form

$$N = ab^t$$

where a and b are constants to be found. Give the value of a to the nearest integer and give the value of b to 3 significant figures.

(4)

(b) Use the model to find the area of the dish covered by bacteria 30 days after monitoring began. Give your answer, in mm², to 2 significant figures.

(2)

	Leave blank
Question 2 continued	Diank
	Q2
(Total 6 marks)	
(Total o marks)	



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA




Figure 1

Figure 1 shows a sketch of a curve with equation y = f(x) where

$$f(x) = \frac{2x+3}{\sqrt{4x-1}}$$
 $x > \frac{1}{4}$

(a) Find, in simplest form, f'(x).

(4)

(b) Hence find the range of f.

(3)

	blank
Overtion 2 continued	Dialik
Question 3 continued	



Leave blank

Question 3 continued	

•		
www.i	gexams	.com
** ** ** **	5021441115	

Question 3 continued	Leave blank
	Q3
(Total 7 marks)	






Figure 2

Figure 2 shows a sketch of part of the graph with equation y = f(x) where

$$f(x) = 21 - 2|2 - x|$$
 $x \ge 0$

(a) Find ff(6)

(2)

(b) Solve the equation f(x) = 5x

(2)

Given that the equation f(x) = k, where k is a constant, has exactly two roots,

(c) state the set of possible values of k.

(2)

The graph with equation y = f(x) is transformed onto the graph with equation y = a f(x - b)

The vertex of the graph with equation y = af(x - b) is (6, 3).

Given that a and b are constants,

(d) find the value of a and the value of b.

(2)



www.	igexams	s.com
** ** ** •	SCAULIS	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,

	I
uestion 4 continued	`

estion 4 continued		

		Leave
Question 4 continued		blank
Question 4 continued		
		Q4
	(Total 8 marks)	
	· · · · · · · · · · · · · · · · · · ·	



5. (a) Show that			
	$\sin 3x \equiv 3\sin x - 4\sin^3 x$	(4)	

$\sin 3x - 3\sin x$	(4)
(b) Hence find, using algebraic integration,	
$\int_{0}^{\frac{\pi}{3}} \sin^3 x dx$	
J 0	(4)



Question 5 continued	Leave blank
	Q5
(Total 8 marks)	






Figure 3

Figure 3 shows a sketch of curve C_1 with equation $y = 5e^{x-1} + 3$

and curve C_2 with equation $y = 10 - x^2$

The point P lies on C_1 and has y coordinate 18

(a) Find the x coordinate of P, writing your answer in the form $\ln k$, where k is a constant to be found.

(3)

The curve C_1 meets the curve C_2 at $x = \alpha$ and at $x = \beta$, as shown in Figure 3.

(b) Using a suitable interval and a suitable function that should be stated, show that to 3 decimal places $\alpha = 1.134$

(3)

The iterative equation

$$x_{n+1} = -\sqrt{7 - 5e^{x_n - 1}}$$

is used to find an approximation to β .

Using this iterative formula with $x_1 = -3$

(c) find the value of x_2 and the value of β , giving each answer to 6 decimal places.





	•	
	igexams	COM
** ** ** •	15 CAULIUS	COIL

	Leave
Question 6 continued	Dialik
Question o continued	



Leave blank

Question 6 continued	

•		
www.19	gexams.	.com

Q6 (Total 9 marks)	Question 6 continued	Leave blank
	Question o continueu	
(Total 9 marks)		Q6
· · · · · · · · · · · · · · · · · · ·	(Total 9 ma	ırks)



7. (a) Express $\cos x + 4\sin x$ in the form $R\cos(x-\alpha)$ where R>0 and $0<\alpha<\frac{\pi}{2}$

Give the exact value of R and give the value of α , in radians, to 3 decimal places.

(3)

A scientist is studying the behaviour of seabirds in a colony.

She models the height above sea level, H metres, of one of the birds in the colony by the equation

$$H = \frac{24}{3 + \cos\left(\frac{1}{2}t\right) + 4\sin\left(\frac{1}{2}t\right)} \qquad 0 \leqslant t \leqslant 6.5$$

where *t* seconds is the time after it leaves the nest.

Find, according to the model,

(b) the minimum height of the seabird above sea level, giving your answer to the nearest cm,

(2)

(c) the value of t, to 2 decimal places, when H = 10

(4)

	•	
WWW.	igexams	.com

	blanl
Question 7 continued	Olain
· · · · · · · · · · · · · · · · · · ·	

Leave blank

Question 7 continued

Question 7 continued	blank
	Q 7
(Total 9 marks)	



8. (i) The curve C has equation y = g(x) where

$$g(x) = e^{3x} \sec 2x \qquad -\frac{\pi}{4} < x < \frac{\pi}{4}$$

(a) Find g'(x)

(2)

(b) Hence find the x coordinate of the stationary point of C.

(3)

(ii) A different curve has equation


$$x = \ln(\sin y) \qquad 0 < y < \frac{\pi}{2}$$

Show that

$$\frac{\mathrm{d}y}{\mathrm{d}x} = \frac{\mathrm{e}^x}{\mathrm{f}(x)}$$

where f(x) is a function of e^x that should be found.

(4)



	blank
Question 8 continued	Dialik
Question o continueu	



estion 8 continued	

Question 8 continued	blank
	Q8
	70
(Total 9 marks)	



9. (a) Given that

$$\frac{x^4 - x^3 - 10x^2 + 3x - 9}{x^2 - x - 12} \equiv x^2 + P + \frac{Q}{x - 4} \qquad x > -3$$

find the value of the constant P and show that Q = 5

(4)

The curve C has equation y = g(x), where

$$g(x) = \frac{x^4 - x^3 - 10x^2 + 3x - 9}{x^2 - x - 12} \qquad -3 < x < 3.5 \qquad x \in \mathbb{R}$$

(b) Find the equation of the tangent to C at the point where x = 2Give your answer in the form y = mx + c, where m and c are constants to be found.




Figure 4

Figure 4 shows a sketch of the curve *C*.

The region R, shown shaded in Figure 4, is bounded by C, the y-axis, the x-axis and the line with equation x = 2

(c) Find the exact area of R, writing your answer in the form $a + b \ln 2$, where a and b are constants to be found.

(5)

	_	
	•	
	idevame	COM
** ** ** .	agexams	7. CVII

uestion 9 continued	

estion 9 continued	

	_	
	•	
	idevame	COM
** ** ** .	agexams	7. CVII

uestion 9 continued	
uestion 7 continued	

Question 9 continued		blan
		Q
	(Total 14 marks)	