

### **Instructions**

- Use **black** ink or ball-point pen.
- **Fill in the boxes** at the top of this page with your name, centre number and candidate number.
- Answer all questions.
- Answer the questions in the spaces provided
  - there may be more space than you need.

#### Information

- The total mark for this paper is 110.
- The marks for **each** question are shown in brackets
  - use this as a guide as to how much time to spend on each question.

### **Advice**

- Read each question carefully before you start to answer it.
- Try to answer every question.
- Check your answers if you have time at the end.

Turn over ▶






Answer ALL questions.

Some questions must be answered with a cross in a box ⊠. If you change your mind æbout an 

(a) The diagram shows apparatus a student uses to compare inhaled and exhaled air.



The student breathes into and out of the mouthpiece for one minute.

(i) Explain which flask exhaled air passes through.

(2)


(ii) Explain the changes that will happen in the limewater in flask A and in flask B.

(2)

A <sub>lb</sub> ,	
(iii) The student uses limewater to compare the composition of exhaled and inhaled air.	Original Studenti
Suggest an alternative substance that they could use.	(1)
(b) Describe the role of the diaphragm and the intercostal muscles in inhalation.	(4)
(Total for Question 1 = 9	marks)



2 The diagram shows an insect-pollinated flower called a lily.



hips: Britishsudentoom by 30a web app.

(a) (i) Which of these is the name of structure P?

(1)

- **A** anther
- **B** filament
- C stigma
- D style
- (ii) Which of these is the name of structure Q?

(1)

- A leaf
- B petal
- C stem
- **D** style
- (iii) On which structure do pollen grains germinate?

(1)


- A P
- Q
- 🗵 C R
- D S



Describe how the structures of P, Q and S would differ in a wind-pollinated flower.	(3)
	**************************************
c) Plants can also reproduce by asexual reproduction.	
(i) Give one natural method that plants use to reproduce asexually.	(1)
(ii) Give one artificial method that a plant grower may use to reproduce a	
plant asexually.	(1)
	(1)
(iii) Suggest why a plant grower may choose to reproduce a plant asexually rather	
than allowing the plant to reproduce sexually.	
	(2)
(Total for Question 2 = 10 ma	rks)



The diagram shows a cycle found in ecosystems.



factory burning fuel

(a) Give the name of the cycle.

(1)

(b) (i) Which process is represented by the letter W?

(1)

- combustion
- decomposition
- X feeding
- X **D** respiration
- (ii) Which process is represented by the letter X?

(1)

- X combustion
- decomposition
- feeding
- X **D** respiration
- (c) Name a group of organisms that is responsible for decomposition.

(1)



clude experimental details in your answer and write in full sentences.		
clude experimental details in your answer and write in full sentences.		
clude experimental details in your answer and write in full sentences.		
clude experimental details in your answer and write in full sentences.		
clude experimental details in your answer and write in full sentences.		
clude experimental details in your answer and write in full sentences.		
clude experimental details in your answer and write in full sentences.		
clude experimental details in your answer and write in full sentences.		
clude experimental details in your answer and write in full sentences.		
clude experimental details in your answer and write in full sentences.		
clude experimental details in your answer and write in full sentences.		
clude experimental details in your answer and write in full sentences.		
clude experimental details in your answer and write in full sentences.		
clude experimental details in your answer and write in full sentences.		
clude experimental details in your answer and write in full sentences.		
clude experimental details in your answer and write in full sentences.		
	sxperimental actails in your answer and write in rail seriences.	(6)
	'	
sign an investigation to find out if changing the pH of organic material affects	in investigation to find out if changing the pH of organic material affects	
rbon dioxide is released into the atmosphere by the decomposition of organic naterial.  e rate of this decomposition depends on a number of factors.  esign an investigation to find out if changing the pH of organic material affects are rate of decomposition.	of this decomposition depends on a number of factors.	Chiroo



The data in the table was collected in Japan during a seven-year study.

he data in the table was collected in Japan during a seven-year study.  cientists collected data on the age of mothers and whether they smoked uring pregnancy.  hey also recorded the percentage of the babies that had a low birth mass.						
Age of		ers who did not g pregnancy		s who did smoke regnancy		
mother in years	number of mothers	percentage of babies with low birth mass	number of mothers	percentage of babies with low birth mass		
19 and under	1331	11.5	356	16.0		
20–24	11243	9.8	1677	13.2		
25–29	24099	9.0	2211	13.3		
30–34	28695	9.2	1847	14.5		
35–39	16537	10.5	934	21.1		
40 and over	3242	12.3	181	22.1		

(a) (i) Calculate the percentage of mothers aged 19 years and under who smoked during pregnancy.

(2)

(ii) Determine the ratio of non-smokers to smokers used in the study.

Give the ratio as the nearest whole number (n) in the form n:1

(2)



causes low birth mass.	ig is the main factor th <b>a</b> r,	
<ul> <li>A student examines this data and concludes that smoking causes low birth mass.</li> <li>Use the data and your own biological knowledge to contact the contact that smoking is a student of the contact thas smoking in the contact that smoking is a student of the contac</li></ul>	مربر nment on this conclusion. (6)	3.68.
(Tota	al for Question 4 = 10 marks	)



Scientists carry out an experiment to see if reducing the availability of oxygen affects, the production of yoghurt.

The production of yoghurt.

The production of yoghurt production.

with a normal oxygen level, over 210 minutes.

The table shows their results.

Time in	Acidit	ty (%)
minutes	reduced oxygen level	normal oxygen level
0	0.20	0.20
30	0.22	0.22
60	0.25	0.24
90	0.40	0.25
120	0.50	0.31
150	0.62	0.41
180	0.70	0.51
210	0.70	0.70


(a)	Explain wh	ny increasing	acidity can	be used	as a measure	of yoghurt production.
-----	------------	---------------	-------------	---------	--------------	------------------------

(2)


(b) Give one abiotic variable that the scientists should control in their experiment.


(1)












(2)


(Total for Question 5 = 10 marks)



**6** The diagram shows part of the gut of a rabbit.

The rabbit is a primary consumer and eats mainly grass and other vegetable material.



(a) Name the parts labelled A, B, C and D.

(4)

A .....

B.....

D ......






(b) The gut of a rabbit has a large specum and appendix. These contain be stadic that	
(b) The gut of a rabbit has a large caecum and appendix. These contain bacteria that are able to produce the enzyme cellulase.  Explain how these bacteria help the rabbits with their diet of plant material.	ide,
Evaluin how those bacteria help the rabbits with their diet of plant material	Alfoon,
Explain now these bacteria help the rappits with their diet of plant material.	(3) OF THE REPORT OF THE REPOR
	<b>V</b> - <b>N</b>
(c) The human gut has a caecum and appendix but they are much smaller than those	
in the rabbit.	
(i) Suggest why the human gut only has a small specim and appendix	
(i) Suggest why the human gut only has a small caecum and appendix.	(1)
	( - /
(ii) In humans the appendix also acts as a store of useful bacteria. Scientists have	
discovered that patients who have had their appendix removed are more	
likely to develop infections of the colon.	
Explain how having no appendix may increase the likelihood of bacterial	
infections of the colon.	(2)
	(2)



The diagram shows a food web from a woodland ecosystem.



(a) (i) Which organism in the food web is the producer?

(1)

- X **A** blackbird
- X centipede
- X earthworm
- X D oak tree
- (ii) Which organism acts as both a secondary consumer and a tertiary consumer in the food web?

(1)

- **A** blackbird
- X earthworm
- X ground beetle
- X sparrowhawk

(b) The amount of energy transferred changes as you move along a food chain.

The data comes from an ecosystem containing producers, primary consumers and secondary consumers.

Level	Energy in each level in kJ per m² per year
producers	8.7 × 10 <sup>5</sup>
primary consumers	1.4 × 10 <sup>4</sup>
secondary consumers	1.6 × 10 <sup>3</sup>

(i)	The light energy reaching the producers is $7.1 \times 10^6$ kJ per m <sup>2</sup> per year.
	Explain why the plants cannot absorb all of this energy.

(ii) The table shows that energy is transferred between producer and primary consumer and between primary consumer and secondary consumer.

A student states that the energy transfer between producer and primary consumer is the most efficient.

Determine whether the student's statement is correct.

(2)

(c) Woodlice feed on dead and decaying plant material in the soil. The photographs show how a woodlouse can curl up into a ball.

This behaviour is an example of a reflex response.





(Source: © StellaNature Alamy Stock Photo)

(i)	State what is meant by a reflex response.	(1)
(ii)	) Give a reason why this reflex response benefits the woodlouse.	(1)

(iii) Describe how this reflex response could have	evolved by natural selection. Oticing the property of the control
	TO WEST STORY
	(Total for Question 7 = 12 marks)


- The rate of photosynthesis is affected by different factors. One factor is the concentration of carbon dioxide in the air.
- https://britishstudentoom/bd30ga wob app. (a) The percentage of oxygen in the air is 21%. This is equivalent to a concentration of 210 000 parts per million.


The percentage of carbon dioxide in the air is 0.04%. Calculate this concentration in parts per million.

(2)

concentration = .....

(b) The graph shows the effect of increasing the concentration of carbon dioxide in the air on the relative rate of photosynthesis at different temperatures.





Concentration of carbon dioxide (%)

(i)	Describe the effect of increasing the concentration of carbon dioxide on the relative rate of photosynthesis at $5^{\circ}$ C.	Astudo
		(Pady)
		, g <sup>X</sup>
(ii)	Describe how the effect of increasing the concentration of carbon dioxide on the relative rate of photosynthesis changes when the temperature	
	is increased.	(2)
		(2)
/:::\	Evaluin the effect of increasing the temperature from E°C to 2E°C on the	
(111)	Explain the effect of increasing the temperature from 5 °C to 35 °C on the relative rate of photosynthesis.	
		(3)



The scientists who carried out this study concluded that the effect of increasing the concentration of carbon dioxide on the rate of growth of a plant is dependent on temperature and also on the minerals that the plants can absorb.  (i) Explain how lacking a named mineral might affect plant growth.	Studentroom,
(i) Explain how lacking a named mineral might affect plant growth.	<sup>04</sup> 3/ <sub>2</sub>
(ii) Explain how a named factor can affect the rate of photosynthesis, other than carbon dioxide concentration, temperature and minerals absorbed.	
	(2)
	(2)
	(2)
	(2)
	(2)

hips://hritishstudentoom.bd.doa.web.apo.

- **9** Alkaptonuria is an inherited condition caused by the presence of recessive alleles.
  - (a) State what is meant by a recessive allele.
  - (b) Alkaptonuria is first diagnosed in children when it is noticed that they produce very dark urine that turns black when exposed to air.

A woman and a man do not have alkaptonuria. They have a child who has the condition.

The woman and the man are expecting a second child.

(i) Draw a genetic diagram to show the genotypes of the woman and the man, the gametes they produce and the possible phenotypes and genotypes of the second child.

(4)

(ii) Calculate the probability that the second child is male and does not have the condition.

( TON), by 3Da Neb. 4

probability = .....

(c) Alkaptonuria is caused by the body being unable to break down the amino acids tyrosine and phenylalanine.

This leads to a build-up of a toxin that causes damage to joints and tendons and can also lead to heart valve damage in later life.

A new drug treatment is being tested that can slow the damage to the joints and tendons.

Scientists selected 40 adults who all had alkaptonuria. They placed each patient into one of two groups. One group was given the drug treatment and the other group acted as a control.

The scientists then compared the symptoms of the patients in each group after three years.

(i) Describe what is meant by the control group.

(1)



(ii) The table compares the control group with the drug treatment group.

It shows the numbers starting and completing the trial and those showing harmful effects.

It also compares improvements in two symptoms of alkaptonuria.

	Control group	Drug group
number of patients starting trial	20	20
number of patients completing trial	17	16
number of patients showing adverse effects	0	2
number of patients that died	0	1
decrease in time taken to stand up and walk 3 m in seconds	0.54	1.33
increase in distance in metres walked in 6 minutes	6.7	51.5

Evaluate whether the new drug should be recommended as an ef	ffective
treatment for alkaptonuria.	

	A <sub>th</sub>
(d) Other scientists have suggested that eating fewer and phenylalanine would reduce the symptoms	er proteins that contain tyrosine of alkaptonuria.
(d) Other scientists have suggested that eating fewer and phenylalanine would reduce the symptoms  Suggest why eating fewer of these proteins may	be difficult. (2)
	<b>%</b>
	/T . I
	(Total for Question 9 = 14 marks)

- The stage of using biological control over chemical control?

  10 Farmers sometimes use biological control to reduce the damage to their crops caused by pests such as insects.

- X it leads to bioaccumulation
- X it is specific
- X it is quicker
- (b) Aphids are tiny insects that have very sharp mouthparts. They push these mouthparts into the phloem found in stems. They then feed on the phloem contents.



(Source: © Scenics & Science / Alamy Stock Photo)

(i) Name two substances the aphids obtain from the phloem.

1		 									
)	1										
_	•	 									

(ii)	Explain how aphids feeding from the phloem of crop plants can lead to a reduction in yield.	S. Aniish alidentoon bada wee ann
		, 4 <sub>10</sub>




(c) Silverflies and hoverflies are two species of insects whose larvae feed on aphid in investigate the feeding behaviour of these species in a

- place a single silverfly in a container
- place a single hoverfly in a separate container
- keep the containers at 12°C
- put 30 aphids in each container
- count the number of aphids consumed each day for several days
- determine the mean number of aphids consumed per day

The scientists repeat the method at two higher temperatures.

The graph shows the scientists' results.

Mean number of aphids consumed per day



Key: hoverfly silverfly

Temperature (°C)

(Total for Question 10 = 12	marks)
Talana in your anonen	(5) **els.**pp.
The scientists conclude that the hoverfly is the most effective biological control agent for aphids.  Discuss the scientists' conclusion, referring to information in the graph and the scientists' method in your answer.	e Too <sub>lh</sub> b <sub>d</sub> , b
The scientists conclude that the hoverfly is the most effective biological control agent for aphids.	Ki <sub>shshdentr</sub>
Au <sub>0.5.2</sub>	3

**TOTAL FOR PAPER = 110 MARKS** 



hitos: Aritists tidentoon by Da web and

hips://hritishstudentoom.bd.doa.web.apo.



hitos: Aritists tidentoon by Da web and